

*plasp:*

# A Prototype for PDDL-Based Planning in ASP

Martin Gebser

Roland Kaminski

Murat Knecht

Torsten Schaub

University of Potsdam

# Outline

1 Motivation

2 System

3 Summary

# Outline

1 Motivation

2 System

3 Summary

# Automated Planning

## Planning as Satisfiability

**Input** First-order description of a planning problem

 **Planning Domain Definition Language (PDDL)**

**Approach** Plans by (propositional) models

- 1 Knowledge representation
- 2 Incremental instantiation
- 3 Model generation (search)

**Advantage** Utilization of powerful general-purpose techniques

- Boolean Satisfiability (SAT)
  - 3 (Incremental) search
- Answer Set Programming (ASP)
  - 1 Knowledge representation
  - 2 (Incremental) instantiation
  - 3 (Incremental) search

# Automated Planning

## Planning as Satisfiability

Input First-order description of a planning problem

 Planning Domain Definition Language (PDDL)

Approach Plans by (propositional) models

- 1 Knowledge representation
- 2 Incremental instantiation
- 3 Model generation (search)

Advantage Utilization of powerful general-purpose techniques

- Boolean Satisfiability (SAT)
  - 3 (Incremental) search
- Answer Set Programming (ASP)
  - 1 Knowledge representation
  - 2 (Incremental) instantiation
  - 3 (Incremental) search

# Automated Planning

## Planning as Satisfiability

Input First-order description of a planning problem

 Planning Domain Definition Language (PDDL)

Approach Plans by (propositional) models

- 1 Knowledge representation
- 2 Incremental instantiation
- 3 Model generation (search)

Advantage Utilization of powerful general-purpose techniques

- Boolean Satisfiability (SAT)
  - 3 (Incremental) search
- Answer Set Programming (ASP)
  - 1 Knowledge representation
  - 2 (Incremental) instantiation
  - 3 (Incremental) search

# Automated Planning

## Planning as Satisfiability

Input First-order description of a planning problem

 Planning Domain Definition Language (PDDL)

Approach Plans by (propositional) models

- 1 Knowledge representation
- 2 Incremental instantiation
- 3 Model generation (search)

Advantage Utilization of powerful general-purpose techniques

- Boolean Satisfiability (SAT)
  - 3 (Incremental) search
- Answer Set Programming (ASP)
  - 1 Knowledge representation
  - 2 (Incremental) instantiation
  - 3 (Incremental) search


# Outline

1 Motivation

2 System

3 Summary

## Overview of *plasp*



### Components

**ASP compiler** generates ASP program from PDDL input files

- ☞ several ASP encodings selectable (via options)


**Solver** incremental ASP system *iClingo* (version 2.0.5)

- ☞ successive grounding and solving till answer set

**Solution compiler** generates PDDL plan from answer set

- ☞ including parallel plan sequentialization

# Overview of *plasp*



## Components

ASP compiler generates ASP program from PDDL input files

👉 several ASP encodings selectable (via options)


Solver incremental ASP system *iClingo* (version 2.0.5)

👉 successive grounding and solving till answer set

Solution compiler generates PDDL plan from answer set

👉 including parallel plan sequentialization

# Overview of *plasp*



## Components

ASP compiler generates ASP program from PDDL input files

☞ several ASP encodings selectable (via options)


Solver **incremental** ASP system *iClingo* (version 2.0.5)

☞ successive grounding and solving till answer set

Solution compiler generates PDDL plan from answer set

☞ including parallel plan sequentialization

# Overview of *plasp*



## Components

ASP compiler generates ASP program from PDDL input files

☞ several ASP encodings selectable (via options)

Solver **incremental** ASP system *iClingo* (version 2.0.5)

☞ successive grounding and solving till answer set

Solution compiler generates PDDL plan from answer set

☞ including parallel plan sequentialization

# Basic Meta-Encoding

## ASP compilation

- PDDL (STRIPS fragment) instance mapped to facts
- Predicates: *init*, *goal*, *action*, *demands*, *adds*, *deletes*

## (Incremental) ASP encoding

- (1) *#base.*
- (2) *holds(F, 0) ← init(F).*
- (3) *#cumulative t.*
- (4)  $1 \{ \text{apply}(A, t) : \text{action}(A) \} 1.$
- (5) *← apply(A, t), demands(A, F, true), not holds(F, t-1).*
- (6) *← apply(A, t), demands(A, F, false), holds(F, t-1).*
- (7) *holds(F, t) ← apply(A, t), adds(A, F).*
- (8) *del(F, t) ← apply(A, t), deletes(A, F).*
- (9) *holds(F, t) ← holds(F, t-1), not del(F, t).*
- (10) *#volatile t.*
- (11) *← goal(F, true), not holds(F, t).*
- (12) *← goal(F, false), holds(F, t).*

# Basic Meta-Encoding

## ASP compilation

- PDDL (STRIPS fragment) instance mapped to facts
- Predicates: *init*, *goal*, *action*, *demands*, *adds*, *deletes*

## (Incremental) ASP encoding

- (1) *#base.*
- (2) *holds(F, 0) ← init(F).*
- (3) *#cumulative t.*
- (4) *1 {apply(A, t) : action(A)} 1.*
- (5) *← apply(A, t), demands(A, F, true), not holds(F, t-1).*
- (6) *← apply(A, t), demands(A, F, false), holds(F, t-1).*
- (7) *holds(F, t) ← apply(A, t), adds(A, F).*
- (8) *del(F, t) ← apply(A, t), deletes(A, F).*
- (9) *holds(F, t) ← holds(F, t-1), not del(F, t).*
- (10) *#volatile t.*
- (11) *← goal(F, true), not holds(F, t).*
- (12) *← goal(F, false), holds(F, t).*

# Basic Meta-Encoding

## ASP compilation

- PDDL (STRIPS fragment) instance mapped to facts
- Predicates: *init*, *goal*, *action*, *demands*, *adds*, *deletes*

## (Incremental) ASP encoding

- (1) *#base.*
- (2)  $holds(F, 0) \leftarrow init(F).$
- (3) *#cumulative t.*
- (4)  $1 \{apply(A, t) : action(A)\} 1.$
- (5)  $\leftarrow apply(A, t), demands(A, F, true), not\ holds(F, t-1).$
- (6)  $\leftarrow apply(A, t), demands(A, F, false), holds(F, t-1).$
- (7)  $holds(F, t) \leftarrow apply(A, t), adds(A, F).$
- (8)  $del(F, t) \leftarrow apply(A, t), deletes(A, F).$
- (9)  $holds(F, t) \leftarrow holds(F, t-1), not\ del(F, t).$
- (10) *#volatile t.*
- (11)  $\leftarrow goal(F, true), not\ holds(F, t).$
- (12)  $\leftarrow goal(F, false), holds(F, t).$

# Basic Meta-Encoding

## ASP compilation

- PDDL (STRIPS fragment) instance mapped to facts
- Predicates: *init*, *goal*, *action*, *demands*, *adds*, *deletes*

## (Incremental) ASP encoding

- (1) *#base.*
- (2)  $holds(F, 0) \leftarrow init(F).$
- (3) *#cumulative t.*
- (4)  $1 \{apply(A, t) : action(A)\} 1.$
- (5)  $\leftarrow apply(A, t), demands(A, F, true), not\ holds(F, t-1).$
- (6)  $\leftarrow apply(A, t), demands(A, F, false), holds(F, t-1).$
- (7)  $holds(F, t) \leftarrow apply(A, t), adds(A, F).$
- (8)  $del(F, t) \leftarrow apply(A, t), deletes(A, F).$
- (9)  $holds(F, t) \leftarrow holds(F, t-1), not\ del(F, t).$
- (10) *#volatile t.*
- (11)  $\leftarrow goal(F, true), not\ holds(F, t).$
- (12)  $\leftarrow goal(F, false), holds(F, t).$

# (More) ASP Encodings

## Meta-Encodings

basic sequential planning

concur parallel planning

☞ concurrent actions under  $\forall$ -step semantics

split operator splitting

☞ fixed arity of function terms for actions

## Compilations

expand on-the-fly instantiation of actions

☞ instantiation based on preconditions' feasibility

concur+expand parallel planning w.r.t. instantiated actions

split+expand operator splitting w.r.t. instantiated actions

# (More) ASP Encodings

## Meta-Encodings

basic sequential planning

concur parallel planning

☞ concurrent actions under  $\forall$ -step semantics

split operator splitting

☞ fixed arity of function terms for actions

## Compilations

expand on-the-fly instantiation of actions

☞ instantiation based on preconditions' feasibility

concur+expand parallel planning w.r.t. instantiated actions

split+expand operator splitting w.r.t. instantiated actions

# Experiments

Benchmark	basic	concur	split	expand	concur+expand	split+expand	SATPlan	SGPlan
Blocks-4-0	0.16	0.21	0.43	0.21	0.22	0.20	0.34	0.10
Blocks-6-0	0.30	0.63	0.93	0.44	0.56	1.40	0.27	0.04
Blocks-8-0	1.58	6.53	12.78	98.60	317.53	47.57	1.24	0.09
Elevator-3-0	0.27	0.56	0.92	0.30	0.46	0.89	0.10	0.02
Elevator-4-0	11.72	264.11	20.30	14.69	324.18	28.88	0.30	0.02
Elevator-5-0	—	—	320.58	—	—	467.98	0.61	0.04
FreeCell-2-1	93.42	mem	64.28	60.52	51.33	56.94	2.44	0.12
FreeCell-3-1	—	mem	—	—	175.03	—	10.44	0.14
Logistics-4-0	7.85	0.38	79.15	8.81	0.39	70.56	0.34	0.05
Logistics-7-0	—	0.99	—	—	0.61	—	0.31	0.04
Logistics-9-0	—	0.89	—	—	0.57	—	0.27	0.04
Satellite-1	0.23	0.87	0.23	0.29	0.74	0.26	0.10	0.03
Satellite-2	4.56	638.08	2.19	5.43	448.60	2.69	0.41	0.03
Satellite-3	8.76	3.52	4.00	7.54	3.29	3.70	0.21	0.04
Schedule-2-0	mem	mem	mem	1.03	3.37	mem	mem	mem
Schedule-3-0	mem	mem	mem	1.63	12.89	mem	mem	mem

basic *plasp*: sequential planning

concur *plasp*: parallel planning

split *plasp*: operator splitting

expand *plasp*: on-the-fly instantiation of actions

concur+expand *plasp*: parallel planning w.r.t. instantiated actions

split+expand *plasp*: operator splitting w.r.t. instantiated actions

SATPlan iterative compilation of parallel planning to SAT

SGPlan heuristic (non-optimal) planning

# Experiments

Benchmark	basic	concur	split	expand	concur+expand	split+expand	SATPlan	SGPlan
Blocks-4-0	<b>0.16</b>	0.21	0.43	0.21	0.22	0.20	0.34	0.10
Blocks-6-0	<b>0.30</b>	0.63	0.93	0.44	0.56	1.40	0.27	0.04
Blocks-8-0	<b>1.58</b>	6.53	12.78	98.60	317.53	47.57	1.24	0.09
Elevator-3-0	0.27	0.56	0.92	0.30	0.46	0.89	0.10	0.02
Elevator-4-0	11.72	264.11	20.30	14.69	324.18	28.88	0.30	0.02
Elevator-5-0	—	—	320.58	—	—	467.98	0.61	0.04
FreeCell-2-1	93.42	mem	64.28	60.52	51.33	56.94	2.44	0.12
FreeCell-3-1	—	mem	—	—	175.03	—	10.44	0.14
Logistics-4-0	7.85	0.38	79.15	8.81	0.39	70.56	0.34	0.05
Logistics-7-0	—	0.99	—	—	0.61	—	0.31	0.04
Logistics-9-0	—	0.89	—	—	0.57	—	0.27	0.04
Satellite-1	0.23	0.87	0.23	0.29	0.74	0.26	0.10	0.03
Satellite-2	4.56	638.08	2.19	5.43	448.60	2.69	0.41	0.03
Satellite-3	8.76	3.52	4.00	7.54	3.29	3.70	0.21	0.04
Schedule-2-0	mem	mem	mem	1.03	3.37	mem	mem	mem
Schedule-3-0	mem	mem	mem	1.63	12.89	mem	mem	mem

basic *plasp*: sequential planning

concur *plasp*: parallel planning

split *plasp*: operator splitting

expand *plasp*: on-the-fly instantiation of actions

concur+expand *plasp*: parallel planning w.r.t. instantiated actions

split+expand *plasp*: operator splitting w.r.t. instantiated actions

SATPlan iterative compilation of parallel planning to SAT

SGPlan heuristic (non-optimal) planning

# Experiments

Benchmark	basic	concur	split	expand	concur+expand	split+expand	SATPlan	SGPlan
Blocks-4-0	0.16	0.21	0.43	0.21	0.22	0.20	0.34	0.10
Blocks-6-0	0.30	0.63	0.93	0.44	0.56	1.40	0.27	0.04
Blocks-8-0	1.58	6.53	12.78	98.60	317.53	47.57	1.24	0.09
Elevator-3-0	0.27	0.56	<b>0.92</b>	0.30	0.46	0.89	0.10	0.02
Elevator-4-0	11.72	264.11	<b>20.30</b>	14.69	324.18	28.88	0.30	0.02
Elevator-5-0	—	—	<b>320.58</b>	—	—	467.98	0.61	0.04
FreeCell-2-1	93.42	mem	64.28	60.52	51.33	56.94	2.44	0.12
FreeCell-3-1	—	mem	—	—	175.03	—	10.44	0.14
Logistics-4-0	7.85	0.38	79.15	8.81	0.39	70.56	0.34	0.05
Logistics-7-0	—	0.99	—	—	0.61	—	0.31	0.04
Logistics-9-0	—	0.89	—	—	0.57	—	0.27	0.04
Satellite-1	0.23	0.87	0.23	0.29	0.74	0.26	0.10	0.03
Satellite-2	4.56	638.08	2.19	5.43	448.60	2.69	0.41	0.03
Satellite-3	8.76	3.52	4.00	7.54	3.29	3.70	0.21	0.04
Schedule-2-0	mem	mem	mem	1.03	3.37	mem	mem	mem
Schedule-3-0	mem	mem	mem	1.63	12.89	mem	mem	mem

basic *plasp*: sequential planning

concur *plasp*: parallel planning

split *plasp*: operator splitting

expand *plasp*: on-the-fly instantiation of actions

concur+expand *plasp*: parallel planning w.r.t. instantiated actions

split+expand *plasp*: operator splitting w.r.t. instantiated actions

SATPlan iterative compilation of parallel planning to SAT

SGPlan heuristic (non-optimal) planning

# Experiments

Benchmark	basic	concur	split	expand	concur+expand	split+expand	SATPlan	SGPlan
Blocks-4-0	0.16	0.21	0.43	0.21	0.22	0.20	0.34	0.10
Blocks-6-0	0.30	0.63	0.93	0.44	0.56	1.40	0.27	0.04
Blocks-8-0	1.58	6.53	12.78	98.60	317.53	47.57	1.24	0.09
Elevator-3-0	0.27	0.56	0.92	0.30	0.46	0.89	0.10	0.02
Elevator-4-0	11.72	264.11	20.30	14.69	324.18	28.88	0.30	0.02
Elevator-5-0	—	—	320.58	—	—	467.98	0.61	0.04
FreeCell-2-1	93.42	mem	64.28	60.52	<b>51.33</b>	56.94	2.44	0.12
FreeCell-3-1	—	mem	—	—	<b>175.03</b>	—	10.44	0.14
Logistics-4-0	7.85	0.38	79.15	8.81	0.39	70.56	0.34	0.05
Logistics-7-0	—	0.99	—	—	0.61	—	0.31	0.04
Logistics-9-0	—	0.89	—	—	0.57	—	0.27	0.04
Satellite-1	0.23	0.87	0.23	0.29	0.74	0.26	0.10	0.03
Satellite-2	4.56	638.08	2.19	5.43	448.60	2.69	0.41	0.03
Satellite-3	8.76	3.52	4.00	7.54	3.29	3.70	0.21	0.04
Schedule-2-0	mem	mem	mem	1.03	3.37	mem	mem	mem
Schedule-3-0	mem	mem	mem	1.63	12.89	mem	mem	mem

basic *plasp*: sequential planning

concur *plasp*: parallel planning

split *plasp*: operator splitting

expand *plasp*: on-the-fly instantiation of actions

concur+expand *plasp*: parallel planning w.r.t. instantiated actions

split+expand *plasp*: operator splitting w.r.t. instantiated actions

SATPlan iterative compilation of parallel planning to SAT

SGPlan heuristic (non-optimal) planning

# Experiments

Benchmark	basic	concur	split	expand	concur+expand	split+expand	SATPlan	SGPlan
Blocks-4-0	0.16	0.21	0.43	0.21	0.22	0.20	0.34	0.10
Blocks-6-0	0.30	0.63	0.93	0.44	0.56	1.40	0.27	0.04
Blocks-8-0	1.58	6.53	12.78	98.60	317.53	47.57	1.24	0.09
Elevator-3-0	0.27	0.56	0.92	0.30	0.46	0.89	0.10	0.02
Elevator-4-0	11.72	264.11	20.30	14.69	324.18	28.88	0.30	0.02
Elevator-5-0	—	—	320.58	—	—	467.98	0.61	0.04
FreeCell-2-1	93.42	mem	64.28	60.52	51.33	56.94	2.44	0.12
FreeCell-3-1	—	mem	—	—	175.03	—	10.44	0.14
Logistics-4-0	7.85	<b>0.38</b>	79.15	8.81	<b>0.39</b>	70.56	0.34	0.05
Logistics-7-0	—	<b>0.99</b>	—	—	<b>0.61</b>	—	0.31	0.04
Logistics-9-0	—	<b>0.89</b>	—	—	<b>0.57</b>	—	0.27	0.04
Satellite-1	0.23	0.87	0.23	0.29	0.74	0.26	0.10	0.03
Satellite-2	4.56	638.08	2.19	5.43	448.60	2.69	0.41	0.03
Satellite-3	8.76	3.52	4.00	7.54	3.29	3.70	0.21	0.04
Schedule-2-0	mem	mem	mem	1.03	3.37	mem	mem	mem
Schedule-3-0	mem	mem	mem	1.63	12.89	mem	mem	mem

basic *plasp*: sequential planning

concur *plasp*: parallel planning

split *plasp*: operator splitting

expand *plasp*: on-the-fly instantiation of actions

concur+expand *plasp*: parallel planning w.r.t. instantiated actions

split+expand *plasp*: operator splitting w.r.t. instantiated actions

SATPlan iterative compilation of parallel planning to SAT

SGPlan heuristic (non-optimal) planning

# Experiments

Benchmark	basic	concur	split	expand	concur+expand	split+expand	SATPlan	SGPlan
Blocks-4-0	0.16	0.21	0.43	0.21	0.22	0.20	0.34	0.10
Blocks-6-0	0.30	0.63	0.93	0.44	0.56	1.40	0.27	0.04
Blocks-8-0	1.58	6.53	12.78	98.60	317.53	47.57	1.24	0.09
Elevator-3-0	0.27	0.56	0.92	0.30	0.46	0.89	0.10	0.02
Elevator-4-0	11.72	264.11	20.30	14.69	324.18	28.88	0.30	0.02
Elevator-5-0	—	—	320.58	—	—	467.98	0.61	0.04
FreeCell-2-1	93.42	mem	64.28	60.52	51.33	56.94	2.44	0.12
FreeCell-3-1	—	mem	—	—	175.03	—	10.44	0.14
Logistics-4-0	7.85	0.38	79.15	8.81	0.39	70.56	0.34	0.05
Logistics-7-0	—	0.99	—	—	0.61	—	0.31	0.04
Logistics-9-0	—	0.89	—	—	0.57	—	0.27	0.04
Satellite-1	0.23	0.87	<b>0.23</b>	0.29	0.74	<b>0.26</b>	0.10	0.03
Satellite-2	4.56	638.08	<b>2.19</b>	5.43	448.60	<b>2.69</b>	0.41	0.03
Satellite-3	8.76	3.52	<b>4.00</b>	7.54	3.29	<b>3.70</b>	0.21	0.04
Schedule-2-0	mem	mem	mem	1.03	3.37	mem	mem	mem
Schedule-3-0	mem	mem	mem	1.63	12.89	mem	mem	mem

basic *plasp*: sequential planning

concur *plasp*: parallel planning

split *plasp*: operator splitting

expand *plasp*: on-the-fly instantiation of actions

concur+expand *plasp*: parallel planning w.r.t. instantiated actions

split+expand *plasp*: operator splitting w.r.t. instantiated actions

SATPlan iterative compilation of parallel planning to SAT

SGPlan heuristic (non-optimal) planning

# Experiments

Benchmark	basic	concur	split	expand	concur+expand	split+expand	SATPlan	SGPlan
Blocks-4-0	0.16	0.21	0.43	0.21	0.22	0.20	0.34	0.10
Blocks-6-0	0.30	0.63	0.93	0.44	0.56	1.40	0.27	0.04
Blocks-8-0	1.58	6.53	12.78	98.60	317.53	47.57	1.24	0.09
Elevator-3-0	0.27	0.56	0.92	0.30	0.46	0.89	0.10	0.02
Elevator-4-0	11.72	264.11	20.30	14.69	324.18	28.88	0.30	0.02
Elevator-5-0	—	—	320.58	—	—	467.98	0.61	0.04
FreeCell-2-1	93.42	mem	64.28	60.52	51.33	56.94	2.44	0.12
FreeCell-3-1	—	mem	—	—	175.03	—	10.44	0.14
Logistics-4-0	7.85	0.38	79.15	8.81	0.39	70.56	0.34	0.05
Logistics-7-0	—	0.99	—	—	0.61	—	0.31	0.04
Logistics-9-0	—	0.89	—	—	0.57	—	0.27	0.04
Satellite-1	0.23	0.87	0.23	0.29	0.74	0.26	0.10	0.03
Satellite-2	4.56	638.08	2.19	5.43	448.60	2.69	0.41	0.03
Satellite-3	8.76	3.52	4.00	7.54	3.29	3.70	0.21	0.04
Schedule-2-0	mem	mem	mem	<b>1.03</b>	3.37	mem	mem	mem
Schedule-3-0	mem	mem	mem	<b>1.63</b>	12.89	mem	mem	mem

basic *plasp*: sequential planning

concur *plasp*: parallel planning

split *plasp*: operator splitting

expand *plasp*: on-the-fly instantiation of actions

concur+expand *plasp*: parallel planning w.r.t. instantiated actions

split+expand *plasp*: operator splitting w.r.t. instantiated actions

SATPlan iterative compilation of parallel planning to SAT

SGPlan heuristic (non-optimal) planning

# Outline

1 Motivation

2 System

3 Summary

## *plasp*

- prototype for PDDL-based planning in (incremental) ASP
  - ☞ various ASP (meta-)encodings
- <http://potassco.sourceforge.net>

## Outlook

- optimization/extension of ASP encodings
  - ☞ on-the-fly instantiation inherently supported by *iClingo* 3.X.X
  - ☞ inclusion of further planning techniques (e.g., mutex analysis)
  - ☞ generalization beyond STRIPS fragment of PDDL
- exploitation of planning domains' characteristic properties
  - ☞ ASP-based induction proofs (applied to General Game Playing)
  - ☞ automatic encoding selection
- extension to further disciplines (e.g., Conformant Planning)

## *plasp*

- prototype for PDDL-based planning in (incremental) ASP
  - ☞ various ASP (meta-)encodings
- <http://potassco.sourceforge.net>

## Outlook

- optimization/extension of ASP encodings
  - ☞ on-the-fly instantiation inherently supported by *iClingo* 3.X.X
  - ☞ inclusion of further planning techniques (e.g., mutex analysis)
  - ☞ generalization beyond STRIPS fragment of PDDL
- exploitation of planning domains' characteristic properties
  - ☞ ASP-based induction proofs (applied to General Game Playing)
  - ☞ automatic encoding selection
- extension to further disciplines (e.g., Conformant Planning)