

## Foundation of Computer Science — FM2

### Assignment 2 on the video lectures of “Week 1”

In what follows, finite automata are given as tuples  $A = (Q, \Sigma, \delta, q_0, F)$ , where  $Q$  is the set of its states,  $\Sigma$  is the input alphabet,  $\delta$  is the transition function,  $q_0 \in Q$  is the start state, and  $F \subseteq Q$  is the sets of accepting states. If  $\delta$  is represented by a transition table, then the head row displays the states while the head column contains the input symbols.

1. Let

$$A = (\{z_0, z_1, z_2, z_3, z_4\}, \{a, b, c\}, \delta, z_0, \{z_0\})$$

be a DFA, where the transition relation is given by the following table:

$\delta$	$z_0$	$z_1$	$z_2$	$z_3$	$z_4$
$a$	$z_1$	$z_3$	$z_0$	$z_4$	$z_3$
$b$	$z_2$	$z_0$	$z_4$	$z_4$	$z_3$
$c$	$z_2$	$z_0$	$z_4$	$z_4$	$z_3$

- a) Draw the transition diagram of  $A$ .
  - b) Which of the words  $\varepsilon$ ,  $abab$ ,  $ababa$ ,  $caaa$  are accepted by  $A$ , and which of them are not?
  - c) What is the language  $L(A)$  that is accepted by  $A$ .
2. Give deterministic finite automata accepting the following languages over the alphabet  $\{0, 1\}$ :
- a) the set of all strings ending with 00,
  - b) the set of all strings containing three consecutive 0s,
  - c) the set of all strings in which the second symbol from the end is 1.
3. Let

$$A = (\{a, b\}, \{q_0, q_1, q_2, q_3\}, \delta, q_0, \{q_3\})$$

be a nondeterministic finite automaton with

$\delta$	$q_0$	$q_1$	$q_2$	$q_3$
$a$	$\{q_0, q_1\}$	$\{q_2\}$	$\{q_3\}$	$\emptyset$
$b$	$\{q_0\}$	$\{q_2\}$	$\{q_3\}$	$\emptyset$

- a) Decide, for each of the strings  $w_1 = \varepsilon$ ,  $w_2 = ab$ ,  $w_3 = aab$ ,  $w_4 = baaab$  and  $w_5 = abbba$ , whether or not they are accepted by  $A$ .
- b) Give the language  $L(A)$  accepted by  $A$ .
- c) Construct a deterministic finite automaton  $A'$ , with  $L(A') = L(A)$ . Use the subset construction (also called power set construction).